



Vector Map: PK detail

Vector Name:	pFLCI
Original Vector:	pBluescript KS(+)
1st Primer for cDNA library construction:	1st-BS primer (1st-BG tag)
2nd Primer for cDNA library construction:	2nd-linker (g-tail less)
Cloning Site (5'>3'):	SalI/XhoI, SstI, BamHI
Sequence Primer (Fwd, 5'):	M13-21
Sequence Primer (Rev, 3'):	1233



```

TAACGCCAGGGTTTTCCAGTCACGACGTTGTAAAACGACGGCCAGTGAATT
                                     Fwd Primer(M13-21)
GTAATACGACTCACTATAGGGCGAATTGGAGCTCCACCGCGGTGGCGGCCGC
      T7 Promoter
ATAACTTCGTATAGCATACATTATACGAAGTTATGGATCAGGCCAAATCGGC
                                     Sfi I
CGAGCTCGAATTCGTCGAGCTCTATTTAGGTGACACTATAGAACCA=cDNA=
      Sal I /Xho I
=>AAAAAAAAAAAAAAAAAAGAGCTCTTGGATCCGGCCATAAGGGCCTGATCCT
      Sst I   BamHI   Sfi I
TCGAGGGGGGGCCCGGTACCAGCTTTTGTCCCTTTAGTGAGGGTTAATTC
      T3 Promoter
GAGCTTGGCGTAATCATGGTCATAGCTGTTTCCTGTGTGAAATTGTTATCCG
      Rev Primer(1233)
CTCACAATTCCACACAACATACGAGCCGGAAG
  
```

GAATAAGGGCGACACGGAAATGTTGAATACTCATACTCTTCCTTTTCAATATTATTGA
AGCATTTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAA
TAAACAAATAGGGGTTCGCGCACATTTCCCCGAAAAGTGC